



集群加入失败、并出现IP地址冲突

https://kb-cn-stage.netapp.com/on-prem/ontap/OHW/OHW-KBs/Cluster_join_fails_with_IP_address_co...

Updated: Wed, 22 Apr 2026 09:00:28 GMT

适用场景

- ONTAP 9.10.1

问题描述

- 无法将节点加入集群。

```
::*> cluster setup  
<text removed>
```

```
Enter the IP address of an interface on the private cluster network from the  
cluster you want to join: 169.254.124.97
```

```
Joining cluster at address 169.254.124.97
```

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

Trying to join cluster again as previous attempt failedError: The joining node is using address "10.34.50.55" in IPspace "Default", but this address conflicts with the address used by a different joining node (uuid "e72322ef-eb50-11ed-932d-d039eaa4a34d"). Use the "network interface modify" command to assign a different address to one of the two LIFs, then try the command again.

Resolve the issue, then try the command again.

Restarting Cluster Setup

- 验证此IP地址是否未被其他节点使用。