



# CXone Mpower EXPERT

## 在集群中的节点上收到NodeIfInErrorsWarnAlert警告

[https://kb-cn-stage.netapp.com/on-prem/ontap/OHW/OHW-KBs/Receive\\_NodeIfInErrorsWarnAlert\\_war...](https://kb-cn-stage.netapp.com/on-prem/ontap/OHW/OHW-KBs/Receive_NodeIfInErrorsWarnAlert_war...)

Updated: Wed, 22 Apr 2026 08:24:17 GMT

### 适用场景

- AFF A250
- BES 53238 集群网络交换机

### 问题描述

- 在EMS日志中引发并清除警报

```
[Node-01: nphmd: hm.alert.raised:alert]: Alert Id = NodeIfInErrorsWarnAlert ,  
Alerting Resource = Node-01/e0c raised by monitor controller
```

```
[Node-01: nphmd: hm.alert.cleared:notice]: Alert Id = NodeIfInErrorsWarnAlert ,  
Alerting Resource = Node-01/e0c cleared by monitor controller
```

```
[Node-01: nphmd: hm.alert.raised:alert]: Alert Id = NodeIfInErrorsWarnAlert ,  
Alerting Resource = Node-01/e0c raised by monitor controller
```

```
[Node-01: nphmd: hm.alert.cleared:notice]: Alert Id = NodeIfInErrorsWarnAlert ,
```

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

Alerting Resource = Node-01/e0c cleared by monitor controller

- 在 IFSTAT 输出中的集群中的所有节点上均出现CRC错误

```
-- interface e0c (6 days, 14 hours, 42 minutes, 27 seconds) --
```

RECEIVE

Total frames:	94868k		Frames/second:	166		Total bytes:	59408m
Bytes/second:	103k		Total errors:	667		Errors/minute:	0
Total discards:	0		Discards/minute:	0		Multi/broadcast:	5782k
Non-primary u/c:	0		Errored frames:	0		Unsupported Op:	0
CRC errors:	623		Runt frames:	0		Fragment:	2

```
-- interface e0c (10 days, 3 hours, 52 minutes, 1 second) --
```

RECEIVE

Total frames:	150m		Frames/second:	172		Total bytes:	98226m
Bytes/second:	111k		Total errors:	1725		Errors/minute:	0
Total discards:	0		Discards/minute:	0		Multi/broadcast:	8882k
Non-primary u/c:	0		Errored frames:	0		Unsupported Op:	0
CRC errors:	1612		Runt frames:	0		Fragment:	3

```
-- interface e0c (6 days, 14 hours, 22 minutes, 37 seconds) --
```

RECEIVE

Total frames:	67625k		Frames/second:	119		Total bytes:	75885m
Bytes/second:	133k		Total errors:	96		Errors/minute:	0
Total discards:	0		Discards/minute:	0		Multi/broadcast:	5778k
Non-primary u/c:	0		Errored frames:	0		Unsupported Op:	0
CRC errors:	93		Runt frames:	0		Fragment:	0

```
-- interface e0c (10 days, 3 hours, 46 minutes, 49 seconds) --
```

RECEIVE

Total frames:	104m		Frames/second:	119		Total bytes:	120g
Bytes/second:	137k		Total errors:	170		Errors/minute:	0
Total discards:	0		Discards/minute:	0		Multi/broadcast:	8887k

Non-primary u/c:	0		Errored frames:	0		Unsupported Op:	0
CRC errors:	164		Runt frames:	0		Fragment:	0