



---

## NFSv4访问问题描述 时出现错误sequence-id

[https://kb-cn-stage.netapp.com/on-prem/ontap/da/NAS/NAS-KBs/NFSv4\\_access\\_issue\\_with\\_a\\_bad\\_s...](https://kb-cn-stage.netapp.com/on-prem/ontap/da/NAS/NAS-KBs/NFSv4_access_issue_with_a_bad_s...)

Updated: Wed, 22 Apr 2026 07:29:12 GMT

### 适用场景

- ONTAP 9
- NFSv4

### 问题描述

- NFSv4客户端报告以下错误

```
vm01 kernel: [528489.817903] NFS: v4 server returned a bad sequence-id error on an unconfirmed sequence ffff89721ba18e20
```

- 重新启动客户端CAN临时解决策 以缓解此错误一段时间
- EMS日志将显示 BAD\_SEQID 错误

```
node01: kernel: nblade.nfs4sequenceinvalid:NOTICE]: NFS client (IP: 10.10.10.100) sent sequence# 104017726, but server expected sequence# 103564588. Server error: BAD_SEQID.
```

---

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information