



使用 Kerberized NFS 进行挂载时权限被拒绝

https://kb-cn-stage.netapp.com/on-prem/ontap/da/NAS/NAS-KBs/Permission_denied_on_mount_using_...

Updated: Wed, 22 Apr 2026 07:33:08 GMT

适用场景

- ONTAP 9
- GCP
- NFS
- CIFS
- Kerberos

问题描述

- 观察到机器账户密码更改导致访问权限丢失的问题。Unix
- 用户在 GCP 环境中使用 Kerberized NFS 进行挂载时权限被拒绝。
- 报告的错误：`mount.nfs: mount(2): Permission denied`
- 挂载失败时，EMS 中的消息中出现多个“无法使用 Keytab 解密票证”的情况：`[?] Sun Mar 16 17:18:31 +0000 [ca-lon-gc-nc003-dmtl110cg115br105: secid: secid.nfsAuth.problem:error]: vservers (svm_8c34c984121d4015a1985cdf65550ece_e655ebb7) General NFS authorization`

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

```
problem. Error: RPC accept GSS token procedure failed [ 0 ms] Using the NFS
service credential for logical interface 1086 (SPN='nfs/HPC-123fe.abc.aero.COM')
from cache. **[ 0]
```