



---

## 由于SecD RPC失败、CIFS服务器创建失败

[https://kb-cn-stage.netapp.com/on-prem/ontap/Ontap\\_OS/OS-KBs/CIFS\\_Server\\_creation\\_failure\\_due\\_...](https://kb-cn-stage.netapp.com/on-prem/ontap/Ontap_OS/OS-KBs/CIFS_Server_creation_failure_due_...)

Updated: Wed, 22 Apr 2026 11:39:21 GMT

### 适用场景

- ONTAP 9
- 安全守护进程(SecD)
- CIFS
- LDAP

### 问题描述

- MGWD.log:

```
Error: Machine account creation procedure failed  
FAILURE: Unable to contact DNS to discover domain controllers
```

- SECD.GZ.log:

```
Unable to create a connection to management (mgwd): 127.0.0.1: RPC: Port mapper
```

---

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

failure - RPC: Unable to send