



报告连续CSM会话失败事件

https://kb-cn-stage.netapp.com/on-prem/ontap/Ontap_OS/OS-KBs/Continuous_CSM_Session_Failed_...

Updated: Wed, 22 Apr 2026 07:30:11 GMT

适用场景

- ONTAP 9
- AF/ FAS

问题描述

- ONTAP报告连续的"CSM会话失败"事件、并显示错误"未知"：

```
Tue Jul 30 07:05:23 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:  
Cluster Session Manager (CSM) failed to create session (req=Node-1b:dblade,  
rsp=Node-1a:dblade, uniquifier=07061e6f02f816f7) with transport type CT,  
session tag INTERCLUSTER_PALOMA, record state ACTIVE, CSM error  
CSM_CONNABORTED, low-level error UNKNOWN, socket error 0, and TLS error 0.  
Tue Jul 30 12:13:50 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:  
Cluster Session Manager (CSM) failed to create session (req=Node-1b:dblade,  
rsp=Node-1a:dblade, uniquifier=0e061e61cb338470) with transport type CT,  
session tag CPEER, record state ACTIVE, CSM error CSM_CONNABORTED, low-level
```

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

error UNKNOWN, socket error 0, and TLS error 0.
Tue Jul 30 12:14:31 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:
Cluster Session Manager (CSM) failed to create session
(req=colnetapp01b:dblade, rsp=Node-1a:dblade, uniquifier=0e061e61cda67751) with
transport type CT, session tag CPEER, record state ACTIVE, CSM error
CSM_CONNABORTED, low-level error UNKNOWN, socket error 0, and TLS error 0.
Wed Jul 31 07:05:19 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:
Cluster Session Manager (CSM) failed to create session (req=Node-1b:dblade,
rsp=Node-1a:dblade, uniquifier=07061e8320cf5efc) with transport type CT,
session tag INTERCLUSTER_PALOMA, record state ACTIVE, CSM error
CSM_CONNABORTED, low-level error UNKNOWN, socket error 0, and TLS error 0.
Wed Jul 31 12:14:23 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:
Cluster Session Manager (CSM) failed to create session (req=Node-1b:dblade,
rsp=Node-1a:dblade, uniquifier=0e061e75eb070a56) with transport type CT,
session tag CPEER, record state ACTIVE, CSM error CSM_CONNABORTED, low-level
error UNKNOWN, socket error 0, and TLS error 0.
Wed Jul 31 12:15:48 +0000 [Node-1a: CSM_BTLS: csm.createSessionFailed:debug]:
Cluster Session Manager (CSM) failed to create session
(req=colnetapp01b:dblade, rsp=Node-1a:dblade, uniquifier=0e061e75f0161c97) with
transport type CT, session tag CPEER, record state ACTIVE, CSM error
CSM_CONNABORTED, low-level error UNKNOWN, socket error 0, and TLS error 0.