



CXone Mpower EXPERT

某些聚合（NAE）上未加密的新卷

https://kb-cn-stage.netapp.com/on-prem/ontap/Ontap_OS/OS-KBs/New_Volumes_Not_Encrypted_on_...

Updated: Wed, 22 Apr 2026 07:31:09 GMT

适用场景

- NetApp 聚合加密（NAE）
- ONTAP 9.6 及更高版本

问题描述

- 纯文本卷位于NAE聚合中
- 在新创建的NAE聚合上创建卷会导致卷显示为已加密、但没有密钥ID

```
::> vol show -aggregate aggr_SSD_1 -fields key-id,encryption-state,encryption-  
type,encrypt  
vserver      volume      encryption-type encrypt encryption-state key-id  
-----  
nas_svm_AITC nas_svm_root_m11 aggregate      true      full
```

- 在新创建的NAE聚合上创建卷将返回以下故障：

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

```
::> vol create -vserver san_svm_1 -volume test -aggregate aggr_SSD_1 -size 1g -state  
online  
[Job 31179] Job is queued: Create test.
```

Error: command failed: [Job 31179] Job failed: Failed to create the volume on node "node_4". Reason: The encryption metadata for the volume is inconsistent.