



CXone Mpower EXPERT

修改聚合上的存储效率时出错

https://kb-cn-stage.netapp.com/on-prem/ontap/dm/Efficiency/Efficiency-KBs/Error_in_modifying_storag...

Updated: Wed, 22 Apr 2026 07:31:06 GMT

适用场景

- ONTAP 9
- FAS
- 存储效率

问题描述

在非 AFF 系统上启用使用实时重复数据删除的选项后收到错误：

```
cluster_CLI::> run -node * "options sis.idedup_allow_non_aff_hya on"
```

```
2 entries were acted on.
```

```
Node: ClusterA-01
```

```
Warning: These diagnostic commands are for use by NetApp
```

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information

personnel only.

You are changing option `sis.idedup_allow_non_aff_hya`, which applies to both members of the HA configuration in takeover mode.

This value must be the same on both HA members to ensure correct takeover and giveback operation.

Node: ClusterA-02

Warning: These diagnostic commands are for use by NetApp personnel only.

You are changing option `sis.idedup_allow_non_aff_hya`, which applies to both members of the HA configuration in takeover mode.

This value must be the same on both HA members to ensure correct takeover and giveback operation.

```
::*> aggr efficiency modify -aggregate aggr2 -cross-volume-background-dedupe true Error: command failed:  
Error in modifying storage efficiency on aggregate "aggr2" Reason: Cross volume deduplication is supported  
only on volumes that are owned by nodes that are All-Flash optimized personality enabled.
```